



**Isotype of *Aloe striatula* Haw. var. *caesia*
Reynolds [family ASPHODELACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.bol140195>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Aloe striatula* Haw. var. *caesia* Reynolds [family ASPHODELACEAE]

Herbarium	The Bolus Herbarium (BOL), BOL140195
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Reynolds, G.W., #1607
Collection Date	1935/11/24
Locality	Maraisburg Division: Marais Krantz, Hofmeyr District. 26 m. W. of Molteno and 26 m. E. of Hofmeyr.
Country	South Africa (South Africa)
Identifications	Isotype of <i>Aloe striatula</i> Haw. var. <i>caesia</i> Reynolds [family ASPHODELACEAE] (stored under name); Verified by Hardy&Glen, 1986/10
Pages	1
Data last modified	2007-08-07

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.bol140195>

BOLUS HERBARIUM



BOL140195



UNIVERSITY OF CAPE TOWN
HERBARIUM AFRICANUM BOLUSIANUM

name *Aloe* Region

Reynolds 1607

Aloe striatula

var. *caesia* ? var. Reynolds

Mariesburg Dist. Maraisburg, Hofmeyr Dist.

2 km. W. of Mollene, 20th Feb. 1935

Fls. 20 Nov. 1935. 1935. Legn. P. W. Reynolds
flowered in Johannesburg.

Aloe striatula Haw. var. *caesia* Reynolds

Isotype

det. Legn. f. D.S. Hardy & H.F. Glen 1986-10-14.



Type No.



Aloe striatula Haw.
var. *caesia* (Reynolds)
fide Reynolds, "Flora of S.A." p. 362. (1960).

94



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved

BOL



copyright reserved

