



Type of *Cyperus solutus* Steud. [family
CYPERACEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.fi012110>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Type of *Cyperus solutus* Steud. [family CYPERACEAE]

Herbarium	Museo di Storia Naturale dell'Università, Firenze (FI), FI012110
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Cuming H., #676
Collection Date	1841
Country	Philippines (Philippines)
Identifications	<i>Cyperus cuspidatus</i> H. B. K. [family CYPERACEAE] (stored under name) Type of <i>Cyperus solutus</i> Steud. [family CYPERACEAE]; Verified by Kern J. H., 1952/12
Notes	Synopsis Plantarum Glumacearum 2: 14. 1854.
Pages	1
Data last modified	2015-06-16

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.fi012110>

HERBARIUM
N 188250
WEBBIANUM



HERBARIUM UNIVERSITATIS FLORENTINAE
F1012110

TYP. DUPL.

Cyperus solutus Steud.
Sigs. Fl. gleum. 2: 14. 1855. L.

C. castaneus W.
Whistler

Cyperus
Herb. Webbianum. *C. cuspidatus*

676

Cuming Ins. Philippinae. — 1841.

Revised for Flora Malesiana

Cyperus cuspidatus H.B.K.

det. J. H. Kern XII/1952



