



Type of *Helichrysum steudelii* A. Rich. [family
ASTERACEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.g00023610>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Type of *Helichrysum steudelii* A. Rich. [family ASTERACEAE]

Herbarium	Conservatoire et Jardin botaniques de la Ville de Genève (G), G00023610
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Schimper, W. P., #231
Collection Date	1837/11/15
Country	Ethiopia (Ethiopia)
Identifications	Gnaphalium oligandrum (DC.) Hilliard & B. L. Burtt [family COMPOSITAE] (stored under name); Verified by Data not digitized Type of <i>Helichrysum steudelii</i> A. Rich. [family ASTERACEAE]; Verified by Data not digitizer
Pages	2
Data last modified	2007-1-5

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.g00023610>

Herbarium flandricum

Schimperi iter Abyssinicum.

Section gramin: plantae Abyssinicae.

231. Gnaphalium (Helichrysum)
Steudeli C. H. Schultz Bipont.
(msopt.)

nomen Abyssinicum: Subhinaday.

in agris novallibus prope Adoum

d. 15. Nov. 1837.

U. l. 1840.

Acquis et intercalé dans l'herbier général
du Conservatoire botanique

GENÈVE, 2003. G



C.H. SCHULTZ, 15. nov. 1837

ISO TYPLIS



HERBIER E. DRAKE
Ex HERB. MUS. PARIS

Feuille de Helichrysum steudeli d. Kich. I
= pseudognaphalium oligandrum (DC.) Hillebrand

DUP-G. WAG

Acquis et intercalé dans l'herbier général
du Conservatoire botanique

GENÈVE, 20 oct. 3. G



TYPUS

C.M. SCHULTZ, 15. nov. 1857



