



**Isotype of *Centaurea calcitrapa* L. forma *idaea*
Gand. ex Hayek [family ASTERACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.je00015657>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Centaurea calcitrapa* L. forma *idaea* Gand. ex Hayek [family ASTERACEAE]

Herbarium	Friedrich-Schiller-Universität Jena (JE), JE00015657
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Gandoger,M., #Centaureae exsiccatae criticae ed. A. v. Hayek 131
Locality	Creta, in aridis montosis olivetorum ad radices montis Ida inter pagos Rethymo et Arkadi, ca. 600 m
Country	Greece (Greece)
Collection altitude	600
Identifications	<strong class="accepted-name">Centaurea calcitrapa L. [family ASTERACEAE] (stored under name); Verified by J. Müller (JE) <strong class="accepted-name">Isotype of Centaurea calcitrapa L. forma idaea Gand. ex Hayek [family ASTERACEAE]; Verified by J. Müller (JE)
Notes	Herb. W. Lemke 8139
Pages	1
Data last modified	2011-10-13

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.je00015657>

Herbarium Haussknecht (JE)

Herbarium Haussknecht Jena



JE00015657



Herbarium W. Hemle
Flora v. Griechenland Nr. 8139
(Kots)
Centaurea calcitrapa L.
f. *Idaea* Gandoger
Spec. Originalit. Hb.

Dr. A. Hayek, *Centaureae exsiccatae criticae*.
Fasc. III. 1921.

131. *Centaurea Calcitrapa*

Linne, *Species plantarum*, Ed. 1., p. 917 (1753).

f. *Idaea*

Gandoger.

A typo differt foliis intense viridibus, capitulis angustioribus
minoribus, flosculis amoene purpureis.

Graecia. Creta. In aridis montosis olivetorum ad radices montis
Ida inter pagos Rethymo et Arkadi; ca. 600 m. s. m.

leg. M. Gandoger.

