



JSTOR

<http://plants.jstor.org>

Blaeria spicata Hochst. ex A.Rich. ssp. spicata
[family ERICACEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000225409>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Blaeria spicata Hochst. ex A.Rich. ssp. spicata [family ERICACEAE]

Herbarium	Royal Botanic Gardens, Kew (K), K000225409
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Schimper, #749
Collection Date	19-08-1838
Locality	In monte Bachit locis siccioribus leniter demissis
Country	Ethiopia (Ethiopia)
Collection altitude	3352.8
Identifications	Erica guguensis Hedberg [family ERICACEAE]; Verified by Hedberg, O., Blaeria spicata Hochst. ex A.Rich. [family ERICACEAE]; Blaeria spicata Hochst. ex A.Rich. ssp. spicata [family ERICACEAE] (stored under name); Verified by Hedberg, Olov,
Notes	U.i. 1842
Pages	1
Data last modified	27-06-2005

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000225409>

ROYAL BOTANIC GARDENS KEW



K000225409



copyright reserved



Schimperi iter Abyssinicum.

Sectio secunda.

719. *Blaeria spicata* Hochst.

In monte Bahlit locis declivibus fruticosa 11 — 12000
E. A. 1842. pedes super mare 4. 19. Aug. 1838.

Erica juguensis (Pic. Serm. & Hein) O. Hedb.

DET. O. Hedberg

19.95

Blaeria spicata Hochst. ex A. Rich.
ssp. *spicata*

det. Olov Hedberg. 19.93

Seen for
"Flora of Ethiopia"



Stylis

