



JSTOR

<http://plants.jstor.org>

**Peristrophe paniculata (Forssk.) Brummitt [family
ACANTHACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000379036>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Peristrophe paniculata (Forssk.) Brummitt [family ACANTHACEAE]

Herbarium	Royal Botanic Gardens, Kew (K), K000379036
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Bent, J.T., #s.n.
Collection Date	1896
Locality	Nubia: about 21° lat. Sea-coast to between 3,000 and 4,000 ft.
Country	Eritrea (Eritrea)
Identifications	Peristrophe paniculata (Forssk.) Brummitt [family ACANTHACEAE] (stored under name); Peristrophe bicalyculata (Retz.) Nees [family ACANTHACEAE];
Pages	1
Data last modified	04-04-2006

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000379036>



ROYAL BOTANIC GARDENS KEW



K000379035



Kotschyi iter Nubicum.
Peristrophe bicalyculata, Nees.
161. *Peristrophe bicalyculata* Nees.
Ad montem Cordofanum Arach-Cool inter saxa et in umbra
C. i. 1841. Minsuram 4. 11. Oct. 1859.

Peristrophe bicalyculata, Nees
C. B. Clarke
5 June 1897

Nubia: About 21° lat. Sea-coast to between 3,000 and
4,000 ft.

Peristrophe bicalyculata, Nees.

Coll. and Conn. Mr. J. Th. Benth. 1896.

ROYAL BOTANIC GARDENS KEW



K000379036

