



JSTOR

<http://plants.jstor.org>

**Isolectotype of *Eleocharis monandra* Hochst.
[family CYPERACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000416632>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isolectotype of *Eleocharis monandra* Hochst. [family CYPERACEAE]

Herbarium	Royal Botanic Gardens, Kew (K), K000416632
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Kotschy, #129
Collection Date	06-10-1839
Locality	Ad montem Cordofanum Arasch-Cool locis limosis
Country	Sudan (Sudan)
Identifications	Isolectotype of <i>Eleocharis monandra</i> Hochst. [family CYPERACEAE]; Verified by Menapace, F.J., <i>Eleocharis atropurpurea</i> Kunth [family CYPERACEAE] (stored under name); Verified by Clarke, C.B.,
Notes	Herbarium Benthianum 1854. More information given in latin attached to sheet.
Pages	1
Data last modified	10-11-2005

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000416632>

ROYAL BOTANIC GARDENS KEW



K000416632

SOUTHERN ILLINOIS UNIVERSITY

Isolectotype: *Eleocharis monandra* Hochstetter

in Steudel, Syn. Cyp. 75. 1855.

Det. F. J. Menapace Date 4/1990



Kotschy iter Nubicum.


129. *Eleocharis monandra* Hochst.

Ad montem Cordofanum Arach-Cool locis humilis
N. 4. 1841. d. 6. Oct. 1839.



11. Nov. 1842.

Eleocharis monandra. Style 2. Squamula hypogynae
nullae!! Admontium *El. Kotschy*.
ab *El. Kotschy* nullae nullae differt, nisi
foliis squamulae hypogynae.
? Some Vallis quae nullae in Sings no *atropurpurea*.
vix, nullae at *atropurpurea* in *Eleocharis atropurpurea*.



Eleocharis atropurpurea, Kunth.
Ch. Clarke
April 1847.

19 Aug. 1842. *Eleocharis atropurpurea*, Kunth
β setis hypogynis nullis. Gay! in *Rev. de Bot.*
Zelt. 1842. 35. p. 642.
Eleocharis atropurpurea Vahl. *Enchir.* 11. (1806)
p. 249. — Spang. *Syst. Veg.* 5. (1825) p. 206
Eleocharis atropurpurea. *Form. Syst. Veg.* 11. (1812)
p. 106. — *Mont.* (1824) p. 61.
Eleocharis atropurpurea. *Red. ab. edend.* in
Wight Contrib. to the Bot. of Ind. (1834) p. 112.
Eleocharis atropurpurea IX (1835) p. 294.
Eleocharis monandra. *Hochst.*! in *Kotschy*
Pl. Arab. 226. n. 129.
Habitat in India orientali. (Hornig
ex Vahl., Wight ex Hook.), et in Nubi:
Cordofana juss. montem Arach-Cool, lat.
bor. circ. 15° (Kotschy!), die 6. Octobr. flores.
Præter setas hypogynas suppressas typi
supra descripti Nubina plantae, et similes
quod specimina Kotschyana similes *monandra*.
Specimina 2 et 1 in specimine Vahliano videt
Kunt 1210.



atropurpurea

