



JSTOR

<http://plants.jstor.org>

Draba stenoloba Ledeb. [family BRASSICACEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000697548>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Draba stenoloba Ledeb. [family BRASSICACEAE]

Herbarium	Royal Botanic Gardens, Kew (K), K000697548
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Redowsky, #s.n.
Locality	Kamchatka
Country	Russia (Russia)
Identifications	Draba stenoloba Ledeb. [family BRASSICACEAE] (stored under name); Draba hirta L. var. siliquosa Cham. & Schltdl. [family BRASSICACEAE]; Draba stenoloba Ledeb. [family BRASSICACEAE]; Draba cinerea Adams [family BRASSICACEAE];
Notes	With K000697549-K000697550 More information given Chamisso dedit December 1825
Pages	1

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.k000697548>



HERR J. GAY.
Presented by Dr. Hooker, February 1868.

Draba stenoloba Ledeb. (J. Gay, Feb. 1851)

Draba cinerea Adams? in Mem. Soc. nat.
Mosc. v. () p. 103. - Decand. 2. Syst. nat. II.
(1821) p. 349; Prodr. I. (1824) p. 170. sp. 41.

Redowsky legit in Kamtschatka. Chamisso
Dedit Decemb. 1825.

18 Feb. 1851.

Draba hirta f. *siliquosa*. Chamisso!
et Schlecht. in Linnaea, I (1826) p. 23.

D. stenoloba. Ledeb. Fl. Ross. I (1842)
p. 154.

Ex insula Unalascensis montibus var.
1. *siliquosa*; inter plantas Redowskianae
et hinc minus elongatis.
2. Var. *siliquosa* differt a *D. hirta* Lappo-
nica: foliis brevioribus magis
densatis, habitu laxiori, sepalis in dorso
apicem versus pilis rigide simplicibus
flaccidioribus hirtis, pilis nonnullis
ut in Lapponica planta ut multo rariis
sporadicis obsoletis; differt denique praeter
multitudine internodii et linearis longitudine.
3. Planta biennis vel triennis, primo anno
fructificans. Corollae fluitantes. Alii
hanc Dracubio novo dulciorum nomine,
nos vero omnibus porporidis aqua lustratis
varietatem *D. hirtae* Condemus & Chamisso
et Schlecht. f.c.



Draba stenoloba Ledeb. (J. Gay, Feb. 1851)

Draba hirta d. Decand. Syst. nat. II. p.
349. Prodr. I. p. 169. sp. 27.

HERR J. GAY.
Presented by Dr. Hooker, February 1868.

Chamisso Dedit Decemb. 1825, lectum in insula
Unalascensis.



HERR J. GAY.
Presented by Dr. Hooker, February 1868.

Draba stenoloba Ledeb. (J. Gay, Feb. 1851)

Draba hirta d.
Chamisso & Schlecht. in Linnaea, I. p. 23.
variet. *siliquosa*

Unalascensis.



