



**Isotype of *Blaeria friesii* Weim. [family
ERICACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.m0106012>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Blaeria friesii* Weim. [family ERICACEAE]

Herbarium	Botanische Staatssammlung München (M), M0106012
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Nordlindh, T., Weimark, H., #5027
Collection Date	1931/02/14
Locality	Africa, Rhodesia austr., ad radices montis Inyangani
Country	Zimbabwe (Zimbabwe)
Collection altitude	2000
Identifications	Isotype of <i>Blaeria friesii</i> Weim. [family ERICACEAE] (stored under name)
Pages	1
Data last modified	2004-12-29

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.m0106012>



copyright reserved



African Plants Initiative
digitally imaged 2006

Exped. Suecica in Africam austr. et. Rhodesiam austr. 1930-31.

5027. *Blaeria Friesii* H. Weim.

Rhodesia austr.: Inyanga, ad pedes montis Inyangariv.
in silvula ad praeurum. c. 2000 m s.m.

14
2

1931.

legg. Tycho Norlindh et Henning Weimarch.

