



Type of *Berlinia ledermannii* Harms var.
dolichopoda [family LEGUMINOSAE-
CAESALPINIOIDEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.m0108440>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Type of *Berlinia ledermannii* Harms var. *dolichopoda* [family LEGUMINOSAE-CAESALPINIOIDEAE]

Herbarium	Botanische Staatssammlung München (M), M0108440
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Zenker, G., #2676
Collection Date	1904
Locality	Africa, Kamerun, Bipinde, Urwaldgebiet.
Country	Cameroon (Cameroon)
Identifications	Type of <i>Berlinia ledermannii</i> Harms var. <i>dolichopoda</i> [family LEGUMINOSAE-CAESALPINIOIDEAE] (stored under name); Verified by Töpffer, A., 1925/03 <i>Julbernardia seretii</i> (De Wild.) Troupin [family LEGUMINOSAE-CAESALPINIOIDEAE]; Verified by Bräuchler, C., 2006/06/08
Pages	1
Data last modified	2004-12-29

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.m0108440>

Botanische Staatssammlung München



M-0108440



copyright reserved



African Plants Initiative
digitally imaged 2006

HERBARIUM REGIUM MONACENSE

G. Zenker, Flora von Kamerun.

Nr. 2676

Perlonia m. sp. p. (Asteraceae) Kuntze
von West-Kamerun. Länge 11 cm.

Bipinde, Urwaldgebiet.

1903/4

Zugegangen III. 1903.



