



**Isotype of *Vigna oblongifolia* A.Rich. [family
FABACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.mpu022981>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at [http://
www.jstor.org/page/info/about/policies/terms.jsp](http://www.jstor.org/page/info/about/policies/terms.jsp)

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Vigna oblongifolia* A.Rich. [family FABACEAE]

Herbarium	Herbier de l'Universite Montpellier II (MPU), MPU022981
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Quertin-Dillon R.
Locality	Abyssinie
Country	Ethiopia (Ethiopia)
Identifications	<strong class="accepted-name">Isotype of <i>Vigna oblongifolia</i> A.Rich. [family FABACEAE] (stored under name);
Pages	1

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.mpu022981>

MPU

MPU

Herbier Général des Phanérogames
Université Montpellier 2 - Herbar de l'Institut de Botanique
163, rue A. Broussonet F - 34090 MONTPELLIER

PH₁

MPU


MPU

MPU NOTULAE CRITICAE ISOTYPE Quartin-Dillon et Petit s.n. 1844 ? MPU
Vigna oblongifolia A. Rich. (1847) Tent. Fl. Abyss. 1: 219 ETHIOPIE
27/03/2013 AUCTOR : Seydou TRAORE MPU
Herbiers Institut de Botanique Université Montpellier 2 - 163, rue Auguste Broussonet F-34090 MONTPELLIER MPU

MPU

copyright reserved

cm



VIGNA OBLONGIFOLIA. N. B.

V. caule ramoso, volubili, subhispida, tereti; foliis oblongo-lanceolatis acutis, superius et subius in nervis appresse pilosis; stipulis semicordato-lanceolatis acutis nervosis pilosis; racemis 3-4-floris axillaribus, pedunculatis, foliis longioribus; calycis 4-lobis laciniis lanceolatis, pilosis; signatis antice linearibus; leguminibus divaricatis, oblongis, subteretibus, sesquipedibus longis, 2 j. foveis latius, hispidis.

Crescit in provincia Tigre (Quartin Dillon).

Observation. — La plante que nous nommons Vigna oblongifolia se rapproche par quelques caractères et spécialement par la figure de ses folioles allongées et presque lanceolées, de *Indolice palestinensis*, Willd., mais sa tige est couverte de poils rudes et comme hispides, et ses grumes également hispides, ne sont pas lisses au point en somme.

Seen in *Flora of Tropical East Africa*

Vigna oblongifolia A. Rich.

isotype

Det.

G. Verdon

Date

6/6


Herbier Université de Montpellier



MPU022981

MUS. PARIS.

Vigna oblongifolia A. R.



Abyssinie — MM. QUARTIN-DILLON et PETIT.
(dernier envoi. 1844)

A. DEFLERS. — FLORA ORIENTALIS EXSICCATA

Vigna oblongifolia Rich.

Abyssinia

Quartin Dillon et Petit leg.

