



JSTOR

<http://plants.jstor.org>

**Isotype of *Kyllinga triceps* Rottb. var. *ciliata* Böck.
[family CYPERACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.p00573306>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Kyllinga triceps* Rottb. var. *ciliata* Böck. [family CYPERACEAE]

Herbarium	Muséum National d'Histoire Naturelle (P), P00573306
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Schimper W., #2201
Collection Date	1854/08/09
Locality	In arenosis ad fl. Tacase pr. Purrsarfa
Country	Ethiopia (Ethiopia)
Collection altitude	3000-4000 feet
Identifications	Isotype of <i>Kyllinga triceps</i> Rottb. var. <i>ciliata</i> Böck. [family CYPERACEAE] (stored under name); Isotype of <i>Kyllinga blepharinota</i> Hochst [family CYPERACEAE];
Pages	1
Data last modified	2009-01-29

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.p00573306>



Kyllinga blepharota Hochst.
Kyllinga triaps Rottb. var. *aliata* Bock.



HERBARIUM E. DRAKE
HERB. MUS. PARIS

M. Shingwe f. *leaves* (terr. Agave). W. Hohenacker
2201. *Kyllingia blepharota* Hochst. n. sp.
Incaensis ad fl. Tacaco pr. Barraspa. alt.
3000-4000'. B. g. Aug. in 1874!

ISOTYPE

