



JSTOR

<http://plants.jstor.org>

Kyllinga odorata Vahl [family CYPERACEAE]

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.si037498>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Kyllinga odorata Vahl [family CYPERACEAE]

Herbarium	Instituto de Botánica Darwinion de Buenos Aires (SI), SI037498
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Normann, G. A., #506
Collection Date	1974/12/17
Locality	Rio Grande do Sul. Tupanciretã. Estacion Experimental., area bemdrenada, local perturbado, próx. á escola de suinocultura
Country	Brazil (Brazil)
Identifications	<strong class="accepted-name">Kyllinga odorata Vahl [family CYPERACEAE] (stored under name);
Pages	1
Data last modified	2013-02-26

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.si037498>

INSTITUTO DE BOTÂNICA DARWINION
167011
HERBÁRIO (SI)




INST. BOT. DARWINION (SI)
•037498•

Herbário da Secretaria da Agricultura — Rio G. do Sul
S. P. A. — Instituto de Pesquisas Zootécnicas

Kyllinga odorata Vahl
Ascolepis brasiliensis BLA 9401
Cyperus rostratus (Lam.) Matthe. & Kuhnthal Fam. Cyp
Det-ANK

Leg Normann e Gianluppi Data 17/12/74
506

Local ~~Xina~~ Tupanciretã, Est. Exp., área bem drenada, local perturbado, próx. à Escola de Suinocultura.



Obs

Det. A. Escobar 2013

