



**Isotype of *Blaeria spicata* Hochst. ex A.Rich.
[family ERICACEAE]**

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.wag0003606>

JSTOR

<http://plants.jstor.org>

Your use of JSTOR indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Isotype of *Blaeria spicata* Hochst. ex A.Rich. [family ERICACEAE]

Herbarium	Naturalis Biodiversity Centre, formerly Wageningen University (WAG), WAG0003606
Collection	Herbarium Specimens
Resource Type	Specimens
Collector	Schimper, G.H.W., #749
Collection Date	1838/08/19
Locality	Gondar, Bachit (Semien Mountains), In monte Bachit locis Siccioribus len.cher .emit fis.
Country	Ethiopia (Ethiopia)
Identifications	<i>Erica tenuipilosa</i> (Engl. ex Alm. & T.C.E.Fr.) Cheek subsp. <i>spicata</i> (Hochst. ex A.Rich.) Cheek [family ERICACEAE] (stored under name); Verified by Cheek, M.R., 1997 Isotype of <i>Blaeria spicata</i> Hochst. ex A.Rich. [family ERICACEAE]; Verified by Cheek, M.R., 1997
Pages	1
Data last modified	1999-07-01

<http://plants.jstor.org/stable/10.5555/al.ap.specimen.wag0003606>



HERBARIUM WADENSE (WAG)

Schimperia etc. *Altydfernef*
Lectis secundis *Ericae*
 7119 *Blasaria spicata*
Moench
Sp. mont. Blasaria *Coria*
Scirpus *Scirpus* *Scirpus*
Scirpus 2 19 Aug 1836
 1836

= *Erica tenuipilosa*
 (Engl. ex Alm. & Friess) Chark
 S.S.P. *spicata* (Hochst. ex Rich.) Chark
 det. Sae FL. Eth. 4, 1.47 off. 20.23
 Nationaal Herbarium Nederland (WAG)



ISO 5950
 TYP. DUPL.
Blasaria spicata Hochst.
 ex Rich.

D. 4355.

